

## calypso kenmore elite washer manual



**File Name:** calypso kenmore elite washer manual.pdf

**Size:** 3639 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 20 May 2019, 22:20 PM

**Rating:** 4.6/5 from 759 votes.

**Status:** AVAILABLE

Last checked: 13 Minutes ago!

**In order to read or download calypso kenmore elite washer manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with calypso kenmore elite washer manual . To get started finding calypso kenmore elite washer manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# calypso kenmore elite washer manual

Lavadoras Laveuses Sears Canada, Inc., Toronto, Ontario, Canada M5B 2B8 Drain System. Pausing or Restarting. Changing Cycles, Options and Modifiers. Cycles. What Happens in a Wash Cycle. Options. Modifiers. Water Inlet Hoses. Vacation, Storage, and Moving Care. Congratulations on making a smart purchase. Your new But like all products, it may require That's when Purchase a Master Protection Agreement now and protect The Master Protection Agreement also helps extend the life of Expert service by our 12,000 professional repair specialists. V Unlimited service and no charge for parts and labor on all Check at your request no Once you purchase the Agreement, a simple phone call is all that You can call anytime day or Sears has over 12,000 professional repair specialists, who have Purchase your. Master Protection Agreement today! Some limitations and exclusions apply. For prices and Sears Installation. Service. For Sears guaranteed professional installation of home Electronic Control Board. Your purchase has added value because you can depend on. With over 2,400 Service. Technicians and access to over 900,000 parts and accessories, Sears Maintenance Agreements Yet any major Maintenance Agreement offers you an outstanding service The Sears Maintenance Agreement. Guarantees tomorrow's service at today's price. Eliminates repair bills resulting from normal wear and tear. Covers non-technical. Provides an annual Preventive Maintenance Check, at your Some limitations apply. For information concerning Sears You will be charged for labor after the first year. Full One Year Warranty on Mechanical and Electrical Parts. For one year from the date of purchase, when this washer is Warranty Restriction. If the washer is subject to other than private family use, the above Warranty Service. Warranty service is available by contacting the nearest Sears. Service Center in the United States or Canada. This warranty Canada. <http://itps-group.com/uploadfiles/hover-quattro-system-1300-manual.xml>

- **kenmore elite calypso washer manual, kenmore elite calypso washer repair manual, kenmore elite washer calypso wash motion repair manual, calypso kenmore elite washer manual, calypso kenmore elite washer manual diagram, calypso kenmore elite washer manual download, calypso kenmore elite washer manual instructions, calypso kenmore elite washer manual parts, kenmore elite calypso washer manual.**

This warranty gives you specific legal rights and you Please reference the service numbers located on the back page Sears, Roebuck and Co. For the lifetime of the washer from the date of purchase, Sears This warranty does not include any You will be charged for Sears Canada, Inc. Toronto, Ontario, Canada M5B 2B8. Product Record. In the space below, record your complete model number, serial You can find this information on the Have this information available to help you quickly obtain For the second through tenth year from the date of purchase. Sears will replace the plastic tub if defective in material or Model number 110. For the second through fifth year from the date of purchase. Sears will replace the following drive system parts if defective in The washplate shaft, drive pulley, lower You will be charged for labor Save these instructions Serial number. Purchase date We have provided many important safety messages in this manual and on your appliance. Always read and obey all This symbol alerts you to potential hazards that can kill or hurt you and others. All. This safety You can be killed or seriously injured if you don't You can be killed or seriously injured if you don't All safety messages will tell you what the potential hazard is, tell you how to reduce the chance of injury, and tell you Before the washer is removed from service or discarded, Do not reach into the washer if the drum, tub or agitator Do not install or store the washer where it will be Do not tamper with controls. Do not repair or replace any part of the washer or Service Centec Please reference the service numbers located on Assemble the necessary tools and supplies before

beginning the Do not put the expanded foam plug back into the washer. Tools needed for connecting Flashlight optional If You Have. You Will Need to Buy. Laundry tub or Sump pump system if not already Standard 20 gal 76 L 39 in. 99 cm tail Floor drain. Siphon break, Part Number 285834; Part Number 285835. <http://www.norrandet.se/userfiles/cagiva-raptor-650-manual.xml>

Drain hose too Drain hose, Part Number 8329541 and Lint clogged drain. Drain protector, Part Number 367031 Water faucets Parts supplied Tools needed for securing the drain hose and Adjustable or open end wrench  $\frac{3}{8}$  in. 14 mm. Level. Wood block. Ruler or measuring tape Selecting the proper location for your washer improves. Parts supplied Proper installation is your responsibility. You will need A grounded electrical outlet located within 4 ft 1.2 m of A sturdy floor to support the washer weight washer, water Do not store or operate your washer in temperatures at or below The dimensions shown are for the recommended spacing The top of the standpipe must be at least 39 in. 99 cm high and The laundry tub needs a minimum 20 gal. 76 L capacity. The top Floor drain system view 2. The floor drain system requires a siphon break that may be. Additional spacing should be considered for ease of Additional clearances may be required for wall, door and floor Additional spacing of 1 in. 2.5 cm on all sides of the washer The siphon break must be a minimum of 28 in. 71 cm from the Additional hoses might be needed. If a closet door is installed, the minimum air openings in the Louvered doors with Companion The washer can be installed using the standpipe drain system Electrical Shock Hazard. Plug into a grounded 3 prong outlet. Do not remove ground prong. Do not use an adapter. Do not use an extension cord. Failure to follow these instructions can result in Time delay fuse or circuit It is recommended that a separate This washer is equipped with a power supply cord having a 3 To minimize possible shock hazard, the cord must be If a mating If codes permit and a separate ground wire is used, it is Check with a qualified electrician if you are not sure the Do not have a fuse in the neutral or ground circuit. Ground prong. Power, supply cord The block needs to support the This washer must be grounded.

In the event of a malfunction or breakdown, grounding will reduce the risk This washer is equipped with Do not modify the plug provided with the appliance if it will not fit the outlet, have a proper outlet installed Install the front leveling feet The block needs to support the This washer must be connected to a grounded metal, Screw the lock nut onto each foot to within 1 in. 2.5 cm of Screw the feet into the correct holes at the front corner of the NOTE Do not tighten the nuts until the washer is level, Carefully The drain hose is disconnected Remove drain hose from washer cabinet. Gently pull the corrugated drain hose out of the washer from the Do not force excess drain hose back into the rear of the washer. Connect Make sure the washer basket is empty. Laundry tub drain or standpipe drain Screw on coupling by hand until seated on the washer. NOTE Do not overtighten. Damage to the valves can result. Clear the water lines Do not straighten hooked end of the drain hose and force Hose should be secure but Do not lay excess hose on the bottom of the laundry tub. Run water through both faucets and inlet hoses, into a bucket Connect Attach the hose with the blue coupling to the COLD left inlet Using pliers, tighten the couplings with an additional two thirds turn. NOTE Do not overtighten. Floor drain Damage to the valves can result. Check for leaks You will drain this Properly leveling your washer prevents excessive noise and Repeat this step until washer is Tilt the washer forward until the rear of the washer is at least Lower the washer to the floor. NOTE Replace inlet hoses after 5 years of use to reduce the Record hose installation or replacement Periodically inspect and replace hoses if bulges, kinks, cuts, Beaded Tie Strap Be sure that you have the If there is an Do not force excess drain hose back into the rear of the washer. Keep the expanded SENSOR SMART electronic controls are easy to use whether you The TRIPLE SMART dispensers make your washer truly Auto Water Level.

This washer senses load size and composition, then The water level is just Electrical Shock Hazard. Failure to follow these instructions can result in Your new washer works differently than most washers that you It uses the innovative CALYPSO TM Larger Load Size. Since there is no agitator,

you can wash larger, bulkier items such as pillows, blankets, and comforters. The KING SIZE Capacity Plus You can wash a pillowAn additional tub wrap is added for Balance ring at the top of the wash basket to minimize Stainless Steel Basket. The Stainless Steel basket eliminates corrosion and enables High Efficiency Wash System. Your new top loading, high efficiency washer saves time with This washer filters 100% of the wash and rinse water. The water The force filter traps sand and dirt, The CALYPSO™ wash motion. Is gentler on clothes. There is less wear and tear on your Fluffs the load after the final spin to make unloading easier. For best performance use with High Efficiency Fire Hazard. Never place items in the washer that are If High Efficiency detergent is not available, use a reduced No washer can completely remove oil. Do not dry anything that has ever had any type of Doing so can result in death, explosion, or fire. WARNING To reduce the risk of fire, electric shock, or injury to NOTE You can add color safe bleach liquid or powdered to Bleach is diluted and The following is a guide to starting your washer. Periodic Load to a level. Do not overfill. Never use more than 1 cup 250 mL for a Follow the manufacturer's directions for safe use. To avoid spilling, use a cup with a pouring spout. Do not NOTE Use only liquid chlorine bleach in this dispenser. Use these pads to choose the right wash cycle for the type of Do not overfill. The dispenser holds 3 oz 94 mL, or a The fabric softener is dispensed in the final rinse. Do not spill or drip any fabric softener on the clothes. Its best to wash stains Ring around For thoroughly washing large, bulky Cleans big items such as comforters, Use liquid Mud Ketchup. Tomato Products. WARM or HOT.

Deodorants Use hot or warm wash WARM or HOT. Mechanical Oil. Dirty Gently cleans fine washables like WARM or HOT. For quickly cleaning a few lightly Cleans and refreshes your favorite For many washable items normally Gently cleans items such as wool For creating your own special cycle. Remembers your personal Ink. Chocolate. Coffee. COLD or WARM. For additional informed on regarding stains refer to owners manual. CALYPSO es una marca de comercio de Whirlpool, U.S.A., usada bajo licencia de Sears, Roebuck and Co. CALYPSO est une marque de commerce de Whirlpool, U.S.A., en vedu dun porteur de licence par Sears, Roebuck and Co. Printed in U.S.A. File Type Extension pdf. PDF Version 1.2. Linearized No. Page Count 22. Page Layout Single Page. Page Mode Use None. Producer Goby Monitor Application version 3, 2, 1, 4. Create Date Sat Nov 10 030016 2007. Author. Title. Subject. How do you remove the wash plate in the kenmore calypso elite wash motion. Elite Calypso washer See the following Sears site for PDF manuals. Wash Motion. Lavadoras. the Owners Manual, Sears will repair or replace any of its mechanical. The CALYPSO Wash Motion features five wash speeds in. View and Download Kenmore Elite CALYPSO 24082 owners manual online. Elite CALYPSO 24082 Washer pdf manual download. Express Wash Cycle. a free manual for a Kenmore Elite wash motion Calypso, SM9710976. Reload to refresh your session. Reload to refresh your session. The most effective way to access all the parts within the washer. I did order the manual, but in the mean time. Could this problem have occurred. Part 4 is nearing the 100 entry limit. TJ Stepbystep Guides. There are no guides for Kenmore Elite HE3 Washer. Start a new repair guide. 3 In Progress Guides. These guides are currently incomplete. Where can I download an owners manual for a Kenmore Elite, model 790.36713502 Or equivalent. Kenmore Elite HE3 Washing Machine, model 110.45862 400 See original source. Flag as inappropriate.

Select your reason for flagging this presentation as inappropriate. If needed, use the feedback form to let us know more details. Stepbystep Guides. There are no guides for Kenmore Elite HE3 Dryer. Start a new repair guide. Support Questions If your Kenmore Elite Calypso washing machine wont drain, theres a good chance that that your pump is clogged, and you can fix it yourself without a call to the. My washer keeps displaying the error code oL. I checked the manual and it is definitely not overloaded. It will fill, drain and spin, but not agitate. I have a repair. The most effective way to access all the parts within the washer. I have a repair. I had two small bathroom rugs in it on normal cycle. It stopped mid cycle. I have completed steps. It flashes a FL code. Since I lost my manual, I dont know what that means. Ive taken the clothes out, rearranged. What does this mean. Also, how can i get a manual for this washer, that explains all the codes. C1 is not one of the normal codes. Its

probably CI upper Under it is a hexhead screw. Remove that screw and the top will come forward a little and then you can raise it up.. Answer questions, earn points and help others. I dont know why this would pop up at the end of a cycle. Normally this is associated with filling at the beginning of a cycle. This is normally associated with a problem with either the control board or wiring harness. This normally occurs when there is an open circuit between pins 1 and 3 on P17 of the control board. That one is a little more involved and usually requires replacement of the control board, wiring harness, or both. Check your fill hoses for kinks or obstructions, first. Then, turn the water supply off and remove the hoses from the back of the machine. Place one end of each hose inside the wash tub and turn both water supply lines back on to make sure you have good water flow coming through the hoses.

Turn water back off and check the fill valve inlet ports on the back of the washer for accumulations of sediments in the screens. It doesnt take much to restrict water flow. You can clean the screens with a cotton swab. If you check everything and still have problems with the error code popping up, I would replace the fill valve. Its an easier fix and less expensive than a control board. If you decide to replace the valve, it is located under the console on your washer, I believe. Its fairly simple with a couple of screws to remove on the console and a couple of connectors and hoses on the valve to remove. Make sure you unplug the machine and turn off the water supply before attempting. I hope you find this advice helpful. Let me know if this works for you. I had the same problem. You can open the console by removing the three screws in the back and lifting from the rear first. The console will pop off. In addition, if you look along washer top front edge in the seam there is a retaining clip about 2 inches in from each side. Using a putty knife, push in on each clip while lifting and the top should pop up. There will be a tech sheet affixed to the front wall of the washer between the wash tub and case. This tech sheet will give you all the guidance necessary on how to perform tests to prove whether or not the motor controller is at fault, or if the pump is at fault. I believe you may have a motor controller problem, though. Another possibility is getting something caught in the drain pump reservoir. This could binding the pump. Let me know if any of this is helpful to you. Pumps get clogged pretty easily. Try to get the water out manually first. Than push the washer back and lean it against the wall so that you can access the bottom. Remove the 3 screws. Bottom panel should come off. The pump is on the right, its black. Get ready with a shop vac or alot of towels, theres gonna be a flood.

There are 2 clamps on black hoses that need to be taken off so that you can slide the hoses off the pump. Next remove the 3 bolts that hold the pump in place. Next lower the pump out of the hole it sits in. Youll have to follow the wiring harness up and disconnect it. Now you can try and clen out the pump or replace it.Hope this is helpful and please remember to rate this solution. Login to post Why am I getting an FL error code on a Kenmore Calypso washing Machine. The Kenmore Elite HE3 is a washing machine by Kenmore.. On Amazon I was able to get the CCU Kenmore CCU Central Control Unit.Do I need to change the control board Answer questions, earn points and help others. Send a Houzz Gift Card.Last time there was a small bit of fabric that had become jammed in the impeller. This time it was coins. Last time I was not able to remove the fabric from the pump, since it was too entangled in the impeller, so I ordered and installed a new pump. Problem solved. This time, even after removing the visible coins, the impeller still does not spin freely, but it will turn when pushed with a screwdriver. So, I have not replaced the pump, yet, but rather reinstalled it and ran the diagnostics on the enclosed Service Technicians Tech Sheet. Results shown below. The Fabric softener valve shut off, as anticipated; however, the fresh water valve did not turn on. It is also suppose to turn off the Fabric Softener valve and associated light which ti did and turn on the Fresh Water vavle and associated light which it did not.I also noted that during this test the Estimated Time light blinked and the High Duty light illuminated even though the documentation didnt mention this happening. Again, the Normal light was on during this test without any mention of it in the test documentation. I would appreciate some advice from more knowledgeable and experienced forum

members on what is wrong and what I need to do or what part I need to purchase to correct the problems.

Than You do not need all the troubles this machine will give you. We went through two of em.Sears finally replaced washer and dryer with the new Oasis models free. I have posted the lemon number elsewhere on this site many times. Let me know if you cannot find it. After disassembling the miniagitator in the center of the drum, I found a rubber seal shredded. This created a water leak into the ujoint section. The ujoints were rusted and FULL of mold. Good luck! It wasnt easy.I almost gave up. Here is the phone number you need to call.its for SEARS ONE SOURCE. 18004796351. These people know what they are doing, and are very easy to talk to. Call even if your warranty has expired. They can and are very willing to help you. The settlement has been made and it can take up to a year to hear if you are getting a replacement or not. That is due to the amount of people signed up for the suit and they have to determine one by one who is eligible and who is not. I literally called the lawyer in tears when my washer was leaking for the 2nd time on the 2nd floor. Im on service call number eight in three years. Same problem; tub wont drain because of a poorly designed pump. According to the tech, this machine is very problematic. The pump is very susceptible to lint clogging or seizing the pump impeller. The pump was upgraded with the last service call. Still, it clogged requiring another service call.I bought this washer in October of 2005, it first clogged and malfunctioned in August 2005. The Sears repairman said he replaced the pump and just days later the unit drained onto my floor so he returned again and did something unknown. Internet research reveals clearly that this is a horribly defective product and Sears knew about it, even has settled lawsuits, yet was still selling this machine in late 2005. How is that possible. Is there a current classaction suit I can join. The one I found covers only those who purchased Calypso washers up until October 15, 2004.

I am so disgusted with Sears. The serial number indicates it was manufactured in 2001. Theres nothing mechanically wrong with it, the pump works fine. It had sat for some months in a resale shop. The fuse on the motor controller board blew when I powered it up the first time, requiring replacement of the board the fuse isnt separately replaceable. The machine is rusted quite a bit for its age. I suspect improper use of highsudsing detergents was a contributing factor, but I can tell that the design of the machine is also at fault. Ive cleaned it up, but it could use a bit more attention. Its not my primary washer, but Ive used it numerous times and it DOES work. I washed a friends queensize goosedown comforter last weekend, she was pleased with the results. During the night, the whirly calypso is that a salsa type music started to beep. We unplugged it. This continued everytime we would use it and forget to unplug it after a load. Beeping and flashing 44. All the error codes are letters, not numbers. Whirlpool phone tech said it must be how many minutes are left in the cycle.Once it got started it functioned perfectly. At the end though, replugging it in didnt help and it would flash 44 not F44, the display only has room for 2 digitsand only beep if we tried to push cancel. I can still get it to work intermittantly but it is getting to be a pain. The FLIPPIN washer is a drama queen. Does anyone have a reasonable suggestion to cost effectively repair this catrostophy I mean calypso besides a bomb or the curb.It wasnt easy.I almost gave up. Here is the phone number you need to call.its for SEARS ONE SOURCE. 18004796351. These people know what they are doing, and are very easy to talk to. Call even if your warranty has expired.Dont they have any environmental responsibility. And why is our government taking any action against them. I guess I am digressing.

I just research on what is supposed to be a huge improvement with respect to the Calypso model, the Kenmore Elite Oasis, and it turns out that it has same or worse problems. In my personal case the ECB electronic control board blew up for no apparent reason. Connect to its own breaker 20A the washer basically had no reason to destroy itself and interestingly enough just a few weeks after the one year warranty was over. I have contacted Sears and argue with them for hours which by the

way nobody will pay us a penny for our time in the phone The finally agree to diagnose the washer and see if it was factory faulty, in which case they will replace the part for free. Will we ever be repaid for all the time we have to waste in the phone and waiting for them to do their job. Will we ever get fit up with it and take the case all the way to the supreme court, now that Alberto is not there we may have a chance to make a case. Sorry about ranting, but I have been fit up with the corporate way of doing thing for over 10 years now. My Whirlpool calypso will not turn on no errors at all. Its as if there is no electricity to it. Is there a fuse maybe that could be replaced. Yes, the breaker and outlet does work for different items. Thought maybe I wouldnt have to ask this question if I could see what others ask. Please advise. I feel so much better knowing there is help out there. however I must admit you have scared me about my decision to have purchased this machine! If something causes the fuse to blow, the entire board must be replaced. Sounds like thats what may have happened. Check if the machine will go into diagnostic mode turn the machine off, then press Soak Cycle Signal Soak Cycle Signal. I can tell you how to check the fuse if you have a voltohm meter and know how to use it. Had to have the pump replaced about a year ago for the first time but never any damage to clothes or staining. Has anyone ever heard of this problem.

I hate to have a repairman come out only to tell me its going to cost hundreds of dollars to take the whole thing apart or something. Does the motor run for both wash and spin. The leveler is inside the dome and is what runs the wash plate for nutation. If the motor stalls for washing, then the ujoint may be frozen or jammed. The motor itself and the controller board are apparently still OK at this point if it spins. The pump motor is a separate unit from the main drive motor. It includes the ujoint, leveler, inner wash plate, spanner nut, and all required seals. Doing the job isnt that big a deal, I did one couple weeks ago. Does take a couple special tools a spanner wrench is required, and a torque wrench that measures at least up to 130 inchpounds is a good idea. I havent priced appliance servicemen in years, but I dont suppose theyre cheap. One thing to look for on a Calypso is whether the basket hub is in good condition, which you cant see that until disassembly. I dont think the motor is stalling, it completes the wash and drains and everything left alone, it causes a slight vibration during the wash, like it is trying to run and just cant. Wow, apparantly weve been living in the dark ages and missed everything surrounding this piece of junk washer. We purchased it in November of 2002 and I hate it. So, now that weve missed out on the Class Action Lawsuit, is there anything I can do Do I have anywhere that I can complain to. I cant believe how much Ive shelled out for this washer in the past 5 years, heck it hasnt even been 5 years yet! Have you been going through Sears for repair. When I was searching, I found a couple links to lawfirms, I think one was the firm that filed the class action suit. You could contact them or if you have any lawyer friends, a letter to Sears or Whirlpool might get you a credit toward a new washer or something.

The other thing I just did, I bought a service contract through sears for my 6 year old washer so next time it breaks, they will repair it for free and if I get 4 repairs this year, they will replace it keep your fingers crossed for me. Again, if you are dealing with Sears for repairs, you should ask them why you werent offered a service plan. Good luck! Is this common Any suggestions My problem was no power at all last post Sept 16. It will not go into diagnostic mode. Nothing. I DO have a voltohm meter but dont know how to use it. Please advise me if there is a particular thing that might fry me though lol. So, if it is the motor board, where can I get a one cheap maybe used. Is it easy to replace. Thanks for your help. Looking at the machine from behind, the motor controller board is on the right, with two large blue cylinders. Set your meter to Ohms. Touch the probes together to confirm the meter needle moves or the numbers change if its digital. Test the fuse by touching the probes to the metal ends of the fuse as indicated in the picture below. The board is covered with a lacquertype coating, you may have to lightly scrape the coating off the ends of the fuse so the probes can make contact. If the meter needle doesnt move the fuse is bad current cannot pass through it. The control console removes and flips forward for ease of access I can tell you how to do that later, then you remove the wiring plugs and a couple screws to swap the board. As soon as I got to the pump I was stopped in

my tracks. From the outside of the plastic drum, they appear to run to separate areas or depths inside the drum. I made an educated guess based on watching the behavior of the washer run under test. However, if anyone knows for sure, let me know. I unbolted the plate and forced the rubber piece against the drum as I reinstalled it. With this done, the rubber was always in contact with the drum wall, and by my theory, clothes would at least find it very difficult to get underneath.

It tried to move but was not powerful enough, in fact the control electronics blinked an error which meant the motor had exceeded its current limits. Any help, tips, or blind advice appreciated. Its the pressure switches themselves that are different. It should face upward. If its worn or deformed to the point that clothes are slipping beneath, the wash plate must be replaced. The gasket is not separately replaceable. Its called a boot a seal that keeps water out. You **MUST NOT** run the machine with water if the boot is not there and not sealed properly. The ujoint must completely sealed again water. Beneath the ujoint theres an oring that seals the boot against the basket hub. The oring **MUST** be replaced **EVERY TIME** the ujoint is removed. If you didnt actually remove it, then that should be OK, unless it was already leaking. However. it should **NOT** be possible to remove the boot unless the entire ujoint is removed. If you were able to do that, then the boot is likely torn. If so, then you will have to get a ujoint kit to replace the entire thing. The boot is not available separately. Rubber washers go in the little depressions around the six bolt holes of the ujoint. Then the outer dome snaps atop the assembly. That older style was changed in late 2001 to the design you see in my pictures brown dome, black boot. The parts are designed slightly different and are not interchangeable. If you buy new parts now, theyll be the newer style. This older seal **IS** still available, but the rest of the older parts are not. I have two Calypsos, one does have the older design but Ive never disassembled it, dont have any pictures of it. Its been a while since I put it back together, not sure if it was ripped or had a line cut down the side of it. Taking apart the washer was disgusting. I couldnt figure out how to pull it off. I pressure washed it looking for a way to attack it with a wrench to no avail. You cant see the hub until after the ujoint is removed.